SECTION 1_Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Sandwich Panels Composed of Aluminum Skins Bonded to an Aluminum Honeycomb Core

Other means of identification : GILLFAB® 4030 Panel

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cargo compartment flooring panel

1.3. Details of the supplier of the safety data sheet

F201 - 4/19 EN (English US) Page 1

Sandwich Panels Composed of Aluminum Skins Bonded to an Aluminum Honeycomb Core

6.2. Environmental precautions

Any wastes generated during cleanup operations should be evaluated with respect to hazardous and solid waste regulations and disposed of in a properly permitted facility in accordance with all local, state, and federal regulations.

6.3. Methods and material for containment and cleaning up

For containment

: Move containers from fire area if you can do it without risk. DO NOT USE WATER, FOAM OR CO2. Confining and smothering metal fires is preferable rather than applying water. If impossible to extinguish, protect surroundings and allow fire to burn it out. Do not walk through any dust resulting from damage to product. Prevent entry into waterways, sewers, basements or confined areas. Stop leak if you can do it without risk.

Methods for cleaning up

: HEPA Vacuum or wet methods and place in a disposal container.

6.4. Reference to other sections

No additional information available

SECTION 7, Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Use methods to minimize dust. Do not breathe dust. DO NOT use compressed air or dry sweeping to remove dust from work area. Use a vacuum with adequate filtration system to remove dusts. If an appro

F201 - /19 EN (English US) 3/7

Particulates Not Otherwise Regulated (Total Dust)		
ACGIH	ACGIH TWA (mg/m³)	3 mg/m ³ Respirable; 10 mg/m ³ Total dust
OSHA	OSHA PEL (TWA) (mg/m³)	5mg/m³ Respirable; 15 mg/m³ Total dust

Exposure controls

Appropriate engineering controls : General ventilation. Local exhaust and enclosed processes may be necessary for processes which generate large quantities of airborne dust.

: An Appropriate apron or other body covering, see above, is recommended where there is a possibility of regular work clothing becoming contaminated with the product. All soiled or dirty Personal protective equipment

clothing and personal protective equipment should be thoroughly cleaned before reuse.

: Where eye contact is possible with particulate matter, safety glasses with side shields are Eye protection

recommended.

: Use insulated, impervious plastic or neoprene-coated canvas gloves and protective gear Skin and body protection

(apron, face shield, etc.) to protect hands and other skin areas.

Respiratory protection

F201 - /19 EN (English US) 4/7

SECTION 10_Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Product is stable. Hazardous polymerization will not occur.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Aluminum dust may generate hydrogen and heat when exposed to water. Water/aluminum powder mixture may be especially hazardous when confined and may react violently with strong oxides and many halogenated hydrocarbons.

10.5. Incompatible materials

Strong oxidizing agents, strong acids and bases, especially oxalic and hydrofluoric acid and acyl halides.

10.6. Hazardous decomposition products

Decomposition and combustion products may be toxic. Can decompose in a fire emitting toxic fumes and gases of carbon dioxide, carbon monoxide, hydrogen cyanide, antimony oxides, hydrogen bromide; oxides of nitrogen and other toxic and irritating gases can be produced depending on condition of combustion.

SECTION 11_Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

F201 - /19 EN (English US) 5/7

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/200 [CLP]

Classification according to Directive 67/54 /EEC [DSD] or 1 /45/EC [DPD]

Not classified

15.2.2. National regulations15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Aluminum (742 - 0-5)

- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. New Jersey Right to Know Hazardous Substance List U.S. New York Reporting of Releases Part 597 List of Hazardous Substances

EN (English US) F201 - /19 7/7